

# SAFETY DATA SHEET

### SECTION 1 — IDENTIFICATION

**Product identifier:** AlbaChem D-Grade **Product Number:** 4015, 4016, 4017, 4018, 4019 **Manufacturer's name and address:** Refer to supplier

Supplier name and address:

# ALBATROSS USA INC./EXPERT WORLDWIDE

36-41 36<sup>th</sup> Street

Long Island City, New York

United States

11106

718-392-6272

5439 San Fernando Road West

Los Angeles, California

United States

90039

818-543-5850

Emergency Telephone #: Chemtrec (Day or Night) 800-424-9300

(For Chemical Emergency: Spill, Leak, Fire, Exposure or Accident)

This MSDS complies with 29CFR 19190.1200 (Hazard Communication Standard) and WHMIS regulations.

IMPORTANT: Read this MSDS before handling and disposing of this product. Pass this information on to employees, customer, and users of this product.

# **SECTION 2 — HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319

# 2.2 GHS Label elements, including precautionary statements

LABEL PICTOGRAM/S:



SIGNAL WORD: WARNING

AlbaChem D-Grade Page 2 of 8

#### HAZARD STATEMENT(S):

H227 Combustible liquid.

H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled

H315 Causes skin irritation. H319 Causes serious eye irritation

### PRECAUTIONARY STATEMENTS:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

Contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P322 Specific measures (see supplemental first aid instructions on this label).

P330 Rinse mouth.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for

Extinction.

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Rapidly absorbed through skin.

### SECTION 3 — COMPOSITION/INFORMATION ON INGREDIENTS

CONTAINS: 30-85% 2-BUTOXYETHANOL (111-76-2) {203-905-0}

5-15% DIPROPYLENE GLYCOL METHYL ETHER (34590-94-8) {252-104-2}

5-15% DIPROPYLENE GLYCOL METHYL ETHER ACETATE (88917-22-0) {406-880-6}

Number in parentheses is CAS #, number in brackets is European EC #.

# **SECTION 4 — FIRST AID MEASURES**

#### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

AlbaChem D-Grade Page 3 of 8

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# SECTION 5 — FIRE FIGHTING MEASURES

#### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

### **5.3** Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

# SECTION 6 — ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

For personal protection see section 8.

#### **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

#### **6.4 Reference to other sections**

For disposal see section 13.

AlbaChem D-Grade Page 4 of 8

### SECTION 7 — HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8 — EXPOSURE CONTROLS / PERSONAL PROTECTION

# **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

# **Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 480 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm

Break through time: 30 min

Test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario. **Body Protection** Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. **Respiratory protection** Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied

AlbaChem D-Grade Page 5 of 8

air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains

# SECTION 9 — PHYSICAL & CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquid Colour: colourless

b) Odour No data available c) Odor Threshold No data available d) pH No data available

e) Melting point/freezing point Melting point/range: -75 °C (-103 °F) - lit.

f) Initial boiling point and

boiling range 169 - 172.5 °C (336 - 342.5 °F) - lit.

g) Flash point 67 °C (153 °F) - closed cup

h) Evaporation rate
No data available
i) Flammability (solid, gas)
No data available

j) Upper/lower

flammability or explosive limits Upper explosion limit: 12.7 %(V)

Lower explosion limit: 1.1 %(V)

k) Vapor pressure  $13 \text{ hPa} (10 \text{ mmHg}) \text{ at } 81 \text{ }^{\circ}\text{C} (178 \text{ }^{\circ}\text{F})$ 

< 1 hPa (< 1 mmHg) at 20 °C (68 °F)

1) Vapor density 4.08 - (Air = 1.0)

m) Relative density 0.902 g/cm3 at 25 °C (77 °F)

n) Water solubility No data available

o) Partition coefficient:

n octanol/water log Pow: 0.83

p) Auto-ignition

temperature No data available q) Decomposition temperature r) Viscosity No data available s) Explosive properties No data available t) Oxidizing properties No data available

#### 9.2 Other safety information

Surface tension  $27.4 \text{ mN/m} \text{ at } 25 \text{ }^{\circ}\text{C} (77 \text{ }^{\circ}\text{F})$ 

Relative vapor density 4.08 - (Air = 1.0)

# SECTION 10 — STABILITY & REACTIVITY

- **10.1 Reactivity** No data available
- **10.2** Chemical stability Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions No data available

AlbaChem D-Grade Page 6 of 8

**10.4 Conditions to avoid** Heat, flames and sparks Incompatible materials Strong oxidizing agents **10.5 Hazardous decomposition products** Other decomposition products - No data available In the event of fire: see section 5

# SECTION 11 — TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological Effects

### **Acute toxicity**

LD50 Oral - Rat - 470 mg/kg

LC50 Inhalation - Rat - 4 h - 450 ppm

Remarks: Behavioral: Ataxia. Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

Dermal: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) LD50

Intraperitoneal - Rat - 220 mg/kg LD50 Intravenous - Rat - 307 mg/kg

# Skin corrosion/irritation

Skin - Rabbit

Result: Open irritation test

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Moderate eye irritation - 24 h **Respiratory or skin sensitization** 

No data available

# Germ cell mutagen

city No data available

#### Carcinogenicity

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Butoxyethanol)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

# Reproductive toxicity

No data available

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

#### Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: KJ8575000

Human exposure above 200 ppm can be expected to cause narcosis, damage to the kidney and liver and present an abnormal blood picture showing erythropenia, reticulocytosis, granulocytosis, leukocytosis,

AlbaChem D-Grade Page 7 of 8

and would be likely to cause fragility of erythrocytes and hematuria. Swallowing of 2-butoxyethanol results in a sour taste that turns to a burning sensation and is followed by numbness of the tongue which indicates paralysis of the sensory nerve endings., Central nervous system depression, Headache, narcosis Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence Aldrich - 579556

# SECTION 12 — ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish LC50 - other fish - 220 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water

flea) - 1,815 mg/l - 24 h

12.2 Persistence and degradability

No data available Ratio BOD/ThBOD 88 %

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

# SECTION 13 — DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Product This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Contaminated packaging Dispose of as unused product.

### SECTION 14 — TRANSPORT INFORMATION

**DOT SHIPPING NAME: BULK:** Combustible Liquid, n.o.s. NA1993, PG-III

(Ethylene Glycol Monobutyl Ether, Dipropylene Glycol Methy Ether, Dipropylene Glycol

Methyl Ether Acetate)

Combustible liquid. Not DOT regulated on trucks in containers of < 119 gallons.

**DRUM LABEL:** None (Combustible Liquid)

IATA/ICAO: None IMO/IMDG: None

**EMERGENCY RESPONSE GUIDEBOOK NUMBER: 128** 

# SECTION 15 — REGULATORY INFORMATION

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

AlbaChem D-Grade Page 8 of 8

# **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313: 2-Butoxyethanol CAS-No. 111-76-2 Revision Date 1993-04-24

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

2-Butoxyethanol CAS-No. 111-76-2 Revision Date 1993-04-24

# Pennsylvania Right To Know Components

2-Butoxyethanol CAS-No. 111-76-2 Revision Date 1993-04-24

# **New Jersey Right To Know Components**

2-Butoxyethanol CAS-No. 111-76-2 Revision Date 1993-04-24

# California Prop. 65 Components

WARNING: This product can expose you to Ethylene Glycol Monomethyl Ether, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="https://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>.

# SECTION 16 — OTHER INFORMATION

#### **HAZARD RATINGS**

HEALTH (NFPA): 2, HEALTH (HMIS): 2, FLAMMABILITY: 2, REACTIVITY: 1

PERSONAL PROTECTION: B

This information is intended solely for the use of individuals trained in the NFPA & HMIS hazard rating systems.

#### **EMPLOYEE TRAINING:**

Employees should be made aware of al hazards of this material (as stated in this MSDS) before handling it.

#### **NOTICE**

The supplier disclaims all expressed or implied warranties of merchantability or fitness for a specific use, with respect to the product or the information provided herein, except for conformation to contracted specifications. All information appearing herein is based upon data obtained from manufacturers and/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency. Conditions of use are beyond our control, and therefore, users are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. Users also assume all risks in regards to the publication or use of, or reliance upon, information contained herein.

This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.

**Prepared by:** Albatross USA Inc. **Telephone number:** 718-392-6272 **Revision Date:** October 18, 2018