

PRODUCT	CRICUT	SILHOUETTE	GRAPHTEC	PRODUCT	CRICUT	SILHOUETTE	GRAPHTEC	
THERMOFLEX® PLUS	Material: Iron-On Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 6	Speed: 8 Force: 14 We use a 45° blade.	SUBLIBLOCK® TURBO	Material: Light Cardstock Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 9	Speed: 8 Force: 16 We use a 45° blade.	
THERMOFLEX® PLUS FROSTY CLEAR™	Material: Iron-On Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 6	Speed: 8 Force: 14 We use a 45° blade.	THERMOBANNER™ 2	Material: Iron-On Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 10	Speed: 8 Force: 18 We use a 45° blade.	
THERMOFLEX® STRETCH	Material: Vinyl Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 6	Speed: 8 Force: 14 We use a 45° blade.	ECONOMYFLEX™	Material: Iron-On Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 10	Speed: 8 Force: 18 We use a 45° blade.	
THERMOFLEX® LIGHT	Material: Iron-On Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 6	Speed: 8 Force: 14 We use a 45° blade.	DIMENSION™	Feed material in without cutting mat Material: Light Cardstock Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Flock Blade: 4 Speed: 8 Force: 33	Make sure the blade is extended out far enough to cut through material Speed: 8 Force: 30 We use a 60° blade.	
THERMOFLEX® XTRA	Material: Vinyl Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 6	Speed: 8 Force: 14 We use a 45° blade.	DIMENSION™ 2	Feed material in without cutting mat Material: Light Cardstock Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Flock Blade: 4 Speed: 8 Force: 33	Make sure the blade is extended out far enough to cut through material Speed: 8 Force: 30 We use a 60° blade.	
THERMOFLEX® TURBO	Material: Vinyl Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 6	Speed: 8 Force: 14 We use a 45° blade.	FASHIONFLEX® PUFF	Material: Iron-On Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 10	Speed: 8 Force: 18 We use a 45° blade.	
THERMOFLEX® TURBO BRIGHTS	Material: Vinyl Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 6	Speed: 8 Force: 14 We use a 45° blade.	FASHIONFLEX® HEAT-SENSITIVE	Material: Vinyl Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 6	Speed: 8 Force: 14 We use a 45° blade.	
PEARLFLEX™	Material: Vinyl Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 6	Speed: 8 Force: 14 We use a 45° blade.	FASHIONFLEX® LIGHT-SENSITIVE	Material: Vinyl Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 6	Speed: 8 Force: 14 We use a 45° blade.	
THERMOSPORT™	Material: Light Cardstock Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 9	Speed: 8 Force: 16 We use a 45° blade.	CHALKBOARD	Material: Vinyl Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 6	Speed: 8 Force: 14 We use a 45° blade.	
SUBLIBLOCK®	Material: Light Cardstock Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 9	Speed: 8 Force: 16 We use a 45° blade.	PLEASE NOTE: EVERY BLADE & MACHINE IS A LITTLE BIT DIFFERENT- ALWAYS TEST CUT!				PLEASE CONTACT US VIA OUR WEBSITE OR SOCIAL MEDIA IF YOU HAVE ANY QUESTIONS!

PRODUCT	CRICUT	SILHOUETTE	GRAPHTEC	PRODUCT	CRICUT	SILHOUETTE	GRAPHTEC
DECOFLOCK® ECONOMY	Material: Vinyl+ Pressure: Default Blade: Deep Cut Blade	Material: Heat Transfer, Flocked Blade: 3 Speed: 8 Force: 8	Speed: 8 Force: 18 We use a 60° blade.	WILD FASHION PRINTS™ TEXTURED	Material: Iron On Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 9	Speed: 8 Force: 16 We use a 45° blade.
PREMIUM DECOFLOCK®	Material: Vinyl+ Pressure: Default Blade: Deep Cut Blade	Material: Heat Transfer, Flocked Blade: 3 Speed: 8 Force: 8	Speed: 8 Force: 18 We use a 60° blade.	FASHIONFLEX® SMOOTH	Material: Vinyl Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 2 Speed: 8 Force: 6	Speed: 8 Force: 12 We use a 45° blade.
DECOFLOCK® PREMIUM PLUS	Material: Vinyl+ Pressure: Default Blade: Deep Cut Blade	Material: Heat Transfer, Flocked Blade: 3 Speed: 8 Force: 8	Speed: 8 Force: 18 We use a 60° blade.	FASHIONFLEX® PERF	Material: Vinyl Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 2 Speed: 8 Force: 8	Speed: 8 Force: 16 We use a 45° blade.
GLITTERFLEX® ULTRA	Material: Iron+ Pressure: Default Blade: Deep Cut Blade	Material: Heat Transfer, Glitter Blade: 3 Speed: 8 Force: 12	Speed: 8 Force: 22 We use a 60° blade.	FASHIONFLEX® TEXTURED	Material: Iron On Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 9	Speed: 8 Force: 16 We use a 45° blade.
GLITTERFLEX® LIGHT	Material: Light Cardstock Pressure: Default Blade: Deep Cut Blade	Material: Heat Transfer, Glitter Blade: 4 Speed: 8 Force: 14	Speed: 8 Force: 18 We use a 60° blade.	TEXTURED CARBON FIBER	Material: Light Cardstock Pressure: Default Blade: Deep Cut Blade	Material: Heat Transfer, Flock Blade: 4 Speed: 8 Force: 16	Speed: 8 Force: 24 We use a 60° blade.
GLITTERFLEX® PREMIUM	Material: Light Cardstock Pressure: Default Blade: Deep Cut Blade	Material: Heat Transfer, Glitter Blade: 4 Speed: 8 Force: 14	Speed: 8 Force: 18 We use a 60° blade.	DECOFILM® GLOSS	Material: Iron-On Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 6	Speed: 8 Force: 14 We use a 45° blade.
GLITTERFLEX® ULTRA PERF	Material: Iron+ Pressure: Default Blade: Deep Cut Blade	Material: Heat Transfer, Glitter Blade: 3 Speed: 8 Force: 12	Speed: 8 Force: 22 We use a 60° blade.	DECOFILM® SUPER	Material: Vinyl Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 2 Speed: 8 Force: 6	Speed: 8 Force: 12 We use a 45° blade.
GLITTERFLEX® II	Material: Iron+ Pressure: Default Blade: Deep Cut Blade	Material: Heat Transfer, Glitter Blade: 3 Speed: 8 Force: 12	Speed: 8 Force: 22 We use a 60° blade.	DECOFILM® BRILLIANT	Material: Iron-On+ Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 10	Speed: 8 Force: 20 We use a 60° blade.
THERMOFLEX® FASHION PATTERNS	Material: Vinyl Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 2 Speed: 8 Force: 6	Speed: 8 Force: 12 We use a 45° blade.	DECOFILM® BRILLIANT CHAMELEON	Material: Light Cardstock Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 4 Speed: 8 Force: 10	Speed: 8 Force: 24 We use a 45° blade.
WILD FASHION PRINTS™ SMOOTH	Material: Vinyl Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 2 Speed: 8 Force: 6	Speed: 8 Force: 12 We use a 45° blade.	<p>PLEASE NOTE: EVERY BLADE & MACHINE IS A LITTLE BIT DIFFERENT- ALWAYS TEST CUT!</p> <p>PLEASE CONTACT US VIA OUR WEBSITE OR SOCIAL MEDIA IF YOU HAVE ANY QUESTIONS!</p>			

PRODUCT	CRICUT	SILHOUETTE	GRAPHTEC	PRODUCT	CRICUT	SILHOUETTE	GRAPHTEC
DECOFILM® GLITTER CHAMELEON	Material: Light Cardstock Pressure: Default Blade: Deep Cut Blade	Material: Heat Transfer, Glitter Blade: 4 Speed: 8 Force: 14	Speed: 8 Force: 24 We use a 60° blade.	REFLECTION PROTECTION™ SAFETY SILVER FOR COTTON	Material: Iron On+ Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 10	Speed: 8 Force: 16 We use a 60° blade.
EMBOSSSED DECOFILM®	Material: Light Cardstock Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 10	Speed: 8 Force: 22 We use a 45° blade.				
DECOFILM® SOFT METALLICS	Material: Iron-On Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 2 Speed: 8 Force: 6	Speed: 8 Force: 12 We use a 45° blade.				
DECOFILM® PAINT FX	Material: Vinyl / Iron-On Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 2 Speed: 8 Force: 5	Speed: 8 Force: 16 We use a 45° blade.				
DECOSPARKLE®	Material: Light Cardstock Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 16	Speed: 8 Force: 22 We use a 45° blade.				
HOTMELT™	Material: Vinyl Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 4	Speed: 8 Force: 12 We use a 45° blade.				
LUMINOUSFLEX™	Material: Iron On Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 9	Speed: 8 Force: 16 We use a 45° blade and 60° blade for LF-4790				
REFLECTION DECORATION™ 300 SERIES AND CHAMELEON REFLECTIVE BLACK	Material: Iron On+ Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 10	Speed: 8 Force: 16 We use a 60° blade.				
REFLECTION DECORATION™ RMSK & 200 SERIES	Material: Iron On+ Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 10	Speed: 8 Force: 16 We use a 60° blade.				
REFLECTION PROTECTION™ SAFETY SILVER FOR NYLON	Material: Iron On+ Pressure: Default Blade: Fine-Point Blade	Material: Heat Transfer, Smooth Blade: 3 Speed: 8 Force: 10	Speed: 8 Force: 16 We use a 60° blade.				

**PLEASE NOTE: EVERY BLADE & MACHINE IS A LITTLE BIT DIFFERENT-
ALWAYS TEST CUT!
PLEASE CONTACT US VIA OUR WEBSITE OR SOCIAL MEDIA IF YOU HAVE ANY QUESTIONS!**